Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 34

NUMBER 6

FEBRUARY 7, 1919

WASHINGTON
GOVERNMENT PRINTING OFFICE
1919

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Epidemic influenza—Prevalence in the United States 225
Deaths from influenza and pneumonia in cities of the United States, 1918-19 .. 225
The reserve of the United States Public Health Service 230
The physician's responsibility in diphtheria 232
The notifiable diseases—Diseases and conditions required to be reported in the several States 233

PREVALENCE OF DISEASE.

United States:
Extra-cantonment zones—Cases reported week ended February 1 239
Disease conditions among troops in the United States 243
Current State summaries—
Telegraphic reports for week ended February 1, 1919 246
Cerebrospinal meningitis—
Cases reported in extra-cantonment zones, week ended February 1, 1919 248
State reports for December, 1918 248
City reports for week ended January 18, 1919 248
Chancroid—
Cases reported in extra-cantonment zones, week ended February 1, 1919 249
Diphtheria—
Cases reported in extra-cantonment zones, week ended February 1, 1919 249
Gonorrhea—
Cases reported in extra-cantonment zones, week ended February 1, 1919 249
Influenza—
Cases reported in extra-cantonment zones, week ended February 1, 1919 249
Malaria—
Cases reported in extra-cantonment zones, week ended February 1, 1919 250
Mississippi report for December, 1918 250
City reports for week ended January 18, 1919 250
Measles—
Cases reported in extra-cantonment zones, week ended February 1, 1919 250
Pellagra—
Cases reported in extra-cantonment zones, week ended February 1, 1919 251
Mississippi report for December, 1918 251
City reports for week ended January 18, 1919 251
Pneumonia—
Cases reported in extra-cantonment zones, week ended February 1, 1919 251
City reports for week ended January 18, 1919 252
Poliomyelitis (infantile paralysis)—
State reports for December, 1918 252
City reports for week ended January 18, 1919 252

United States—Continued.
Rabies in animals— Page.
City reports for week ended January 18, 1919 253
Scarlet fever—
Cases reported in extra-cantonment zones, week ended February 1, 1919 253
Smallpox—
Cases reported in extra-cantonment zones, week ended February 1, 1919 253
Texas—Hidalgo 253
State reports for December, 1918 253
City reports for week ended January 18, 1919 254
Syphilis—
Cases reported in extra-cantonment zones, week ended February 1, 1919 254
Tetanus—
City reports for week ended January 18, 1919 254
Tuberculosis—
Cases reported in extra-cantonment zones, week ended February 1, 1919 255
Typhoid fever—
Cases reported in extra-cantonment zones, week ended February 1, 1919 255
State reports for December, 1918 255
City reports for week ended January 18, 1919 256
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for December, 1918 256
City reports for week ended January 18, 1919 256
Foreign:
Australia—
Influenza—Melbourne 262
Brazil—
Influenza—Santos 262
China—
Plague—North China 262
Paraguay—
Influenza—Asuncion 262
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended February 7, 1919—
Cholera 262
Plague 263
Smallpox 263
Typhus fever 264
Yellow fever 265
Reports received from December 28, 1918, to January 31, 1919—
Cholera 265
Plague 265
Smallpox 265
Typhus fever 266
Yellow fever 267